

GENERAL INDEX TO VOLUME XXI

New scientific names of plants and the final members of new combinations are printed in bold face type; synonyms and page numbers having reference to figures and plates, in *italics*; and previously published names and all other matter, in ordinary type.

A

- Acanthogonum*, 31; *corrugatum*, 31; *polygonoides*, 91; *rigidum*, 91
Acidity: in cultures of *Geotrichum*, 358; of plant juice, effect of iodine on, 375
Acroanthus montana, 343
Acrolasia, 112; *affinis*, 193; *albicaulis*, 183, var. *integrifolia*, 194; *aurea*, 199; *bartonoides*, 179; *Bartonoides*, 182; *Catalinensis*, 190; *compacta*, 197; *congesta*, 188; *etenophora*, 184; *Davidsoniana*, 189; *desertorum*, 194; *dispersa*, 194; *elata*, 207; *gracilentia*, 185; *gracilis*, 185; *humilis*, 155; *integrifolia*, 194; *latifolia*, 196; *micrantha*, 190, var. *stricta*, 190; *montana*, 194; *nitens*, 197; *parviflora*, 183; *pectinata*, 187; *pinnatifida*, 179; *Solierii*, 181; *squalida*, 135; *tenerima*, 182; *tricuspsis*, 203; *tridentata*, 204; *Tweedyi*, 183; *Veatchiana*, 186; *viridescens*, 183
Aplopappus canescens, 598; *chrysanthemifolius*, 598; *ciliatus*, 598; *integerrimus*, 598; *lanceolatus*, 598; *pulchellus*, 598; *uniflorus*, 598
Apocynaceae, New or otherwise noteworthy, of tropical America, 613
Aquilegia Piersoni, 344
Arcangeliiella Campbellae, 634; *nana*, 632
Asclepiads, Two new, from Szechuan, China, 609
Aster caucasicus, 599; *glutinosus*, 586; *incisus*, 599; *serratus*, 454; *sibiricus*, 599; *spathularis*, 454; *spathulatus*, 454
Aurelia, 436; *amplexicaulis*, 477; *decurrens*, 587

B

- Bartonia*, 112; *albescens*, 160; *albicaulis*, 182; *aurea*, 199; *decapetala*, 140; *laevicaulis*, 147; *micrantha*, 182, 190; *multiflora*, 164; *nuda*, 162; *ornata*, 140, 147; *parviflora*, 147; *pumila*, 164, 168; *sinuata*, 160; *superba*, 140; *Wrightii*, 160

- Berkley, Earl E. Certain physical and structural properties of three species of southern yellow pine correlated with the compression strength of their wood, 241; *Poria Cocos* (Schw.) Wolf, found on a railroad tie in service, 339
Bicuspidaria, 112; *hirsutissima*, 201; *involuta*, 205; *tricuspsis*, 203
 Bronchial and pulmonary infection, A new *Geotrichum* from a, 349

C

- Carbohydrate reactions in cultures of *Geotrichum*, 358
 Catalase activity, effect of iodine on, 387, 412
Centrostegia leptoceras, 91; *Thurberi*, 91; *Vortriedel*, 91
Chamonixia, 692
 Chemical reactions of an oxidation mechanism, 414
 China, Two new *Asclepiads* from Szechuan, 609
Chorizanthe, A revision of the North American species of the genus, 1
Chorizanthe, 17; *Andersoni*, 43; *angustifolia*, 41, var. *Eastwoodae*, 42; *biloba*, 73; *brevicornu*, 22, 23; *brevicornu*, 26; *Breweri*, 63; *californica*, 91, var. *Sukadorffii*, 91; *chaetophora*, 89, 100; subsect. *Chorizanthella*, 23; *chrysacantha*, 57, 102, var. *compacta*, 58; *Clevelandii*, 76; *commisuralis*, 23; *corrugata*, 30, 98; *cuspidata*, 38, var. *marginata*, 40; *diffusa*, 42; *discolor*, 62; *discolor*, 51; *Douglasii*, 48; *Douglasii*, 46, var. *albena*, 36, var. *Hartwegi*, 37; *fernandina*, 80; *fimbriata*, 66; *fimbriata* var. *laciniata*, 68; *flava*, 82, 98; subsect. *Flavae*, 81; *floccosa*, 91; *frankenioides*, 22; *glabrescens*, 22, 98; sect. *Herbaceae*, 35; *Howellii*, 44, 102; *inequalis*, 80; *insignis*, 91; *insularis*, 65; *interposita*, 32; *Jonesiana*, 88, 100; *laciniata*, 68; *Lactariacea* var. *californica*, 33; *Lactariacea*, 33; *leptoceras*, 91; *lepto-*

theca, 61; *membranacea*, 91; *mutabilis*, 81, 98; *nivea*, 43; *Nortonii*, 48; *nudicaulis*, 52; *obovata*, 70, f. *prostrata*, 71; *Oreuttiana*, 29, 98; *Palmeri*, 75; subsect. *Parryanae*, 78; *Parryi*, 78, var. *fernandina*, 80; subsect. *Perennes*, 22; *perfoliata*, 91; *polygonoides*, 91; *procumbens*, 84, var. *albiflora*, 87, var. *mexicana*, 87; subsect. *Procumbentes*, 84; *pulehella*, 83; *pungens*, 35, 98, var. *Hartwegi*, 37; *pungens* var. *cuspidata*, 38, var. *diffusa*, 42, var. *nivea*, 43, var. *robusta*, 46; subsect. *Pungentes*, 35; *rectispina*, 72; *rigida*, 91; *robusta*, 46; *spathulata*, 26; *spinosa*, 91; subsect. *Staticoideae*, 51; *staticoides*, 51, 98, f. *bracteata*, 54, var. *brevispina*, 55, var. *elata*, 56, var. *latiloba*, 57; *staticoides*, 61, 65, var. *nudicaule*, 52; *stellulata*, 50; Sect. *Suffrutices*, 22; *Thurberi*, 91, var. *cryptantha*, 91; *uncinata*, 85; *uniaristata*, 77; *uniaristata*, 72; subsect. *Uniaristatae*, 70; *valida*, 47, 38; *Vaseyi*, 82; *villosa*, 45; *virgata*, 19, 22; *Vortriedei*, 91; *Watsoni*, 27; *Wheeleri*, 64; *Xanti*, 59, var. *leucotheca*, 60

Chrysophthalmum andinum, 599

Chrysostoma, 112; *aurea*, 119

Coccidioides immitis, 361

Compression strength of yellow pine, 280

Corallorrhiza striata var. *Vreelandii*, 343; *Vreelandii*, 343

Creolobus, 112; *aurea*, 199

Cufodontia arborea, 617; *Lundelliana*, 618; *Stegomeria*, 618

D

Darling's histoplasmosis, 347

Darlington, Josephine. A monograph of the genus *Mentzelia*, 103

Demetria, 436; *glutinosa*, 587; *spathulata*, 454

Dendrogaster, 625, 684; *cambodgensis*, 687, 708; *candidus*, 688, 708; *connectens*, 685, 689, 708; *foetidus*, 691, 708; *globosus*, 690, 708; *major*, 686, 708; *megasporus*, 686, 708; *radiatus*, 688, 708; *utriculatus*, 689, 708

Density of wood substance of yellow pine, 248

Dodge, Carroll W. Proposals for amendment of Article 20 of the Interna-

tional Rules of Nomenclature, 709; and Sanford M. Zeller. *Hymenogaster* and related genera, 625

Donia, 436; *canariensis*, 598; *ciliata*, 598; *glutinosa*, 556, 587; *insuloides*, 454, var. β , 550; *lancoolata*, 514, 598; *squarrosa*, 477; *uniflora*, 598; *villosa*, 550

Doniana, 436

Doronicum glutinosum, 586

E

Echites, 615; *bracteata*, 622; *cincinnatiensis*, 616; *elegantula*, 617; *Megagros*, 623; *turbinata*, 615; *tarrigera*, 617; *Tuxtliensis*, 616; *Velloziana*, 622; *yucatanensis*, 617

Endomyces dermatitidis, 360

Enzymatic activity. The effects of increasing the iodine content of the tomato plant on, 367, 412

Eriogonella, 90; *membranacea*, 91; *spinosa*, 91

Eucnide bartonioides, 207; *cordata*, 207; *lobata*, 207; *urens*, 207

F

Fernaldia, 617

Fiber-saturation point of yellow pine, 245

Field and herbarium studies. III, 343

Forsteronia, 618; *bracteata*, 622; *corymbosa*, 619; *floribunda*, 619, 622; *microphylla*, 622; *multinervia* γ *microphylla*, 622; *paludosa*, 620; *portoricensis*, 618; *simulans*, 621; *Velloziana*, 622

G

Gasteromycetes, A new order of, 231

Gautiera, 692

Gautiera, 625, 692; *albida*, 704, 708; *caudata*, 698, 708; *chilensis*, 694, 708; *gautierioides*, 697, 708; *graveolens*, 695, 708, var. *Otthii*, 696, 708; *graveolens*, 701, var. *mexicana*, 701; *Harknessii*, 704, 708; *mexicana*, 701, 708; *monticola*, 700, 708; *moreheliiformis*, 692, 698, 708; *morillaeformis*, 699; *mucosa*, 703, 706; *Otthii*, 696; *pallida*, 702, 708; *Parksiana*, 705, 708; *plumbea*, 694, 708; *retirugosa*, 697; *Rodwayi*, 702, 708; *Trabuti*, 700, 708; *villosa*, 699

- Geotrichum, A new, from a bronchial and pulmonary infection, 349
- Geotrichum, 349, 358; *asteroides*, 360; *dermatitidis*, 360; *immite*, 360; *louisianoideum*, 360; *multifermentans*, 360; *pulmonum*, 360; *versiforme*, 349, 361, 364, 366, cultural description, 354, morphological description, 351
- Goodman, George J. A revision of the North American species of the genus *Chorizanthe*, 1
- Grindelia, Studies in, II. New species, varieties, and combinations of *Grindelia*, 227; Monograph of the North American species of the genus *Grindelia*, 433
- Grindelia, 435; *acerosa*, 598; *acutifolia*, 498, 499; *aggregata*, 566, 564; *Andersonii*, 559; *andina*, 599; *angustifolia*, 454; *aphanaetis*, 490; *arenicola*, 229, 594, 595, var. *pachyphylla*, 596, f. *trichophora*, 596; *arguta*, 454, 510, f. *glabra*, 510; *arizonica*, 505, 506, var. *dentata*, 508, var. *microphylla*, 508, var. *stenophylla*, 507; *arizonica*, 488, 508, 510; *Blakel*, 567, 568; *bracteosa*, 227, 584; *Brownii*, 542; *camporum*, 532, 540, var. *abbreviata*, 228, 535, var. *australis*, 228, 535, var. *Davyi*, 536, var. *interioris*, 538, f. *foliacea*, 538, var. *parviflora*, 534; *camporum*, 519, 535, 582; *canescens*, 598; *caucasica*, 599; *collina*, 564; *columbiana*, 555; *coronopifolia*, 599; *costata*, 461; *cuneifolia*, 524, 526, 585, 594, var. *paludosa*, 529; *decumbens*, 503, 505, var. *subincisa*, 503; *decumbens*, 507; *discoidea*, 555; *eldorae*, 500; *erecta*, 501, 503; *fastigiata*, 493; *fastigiata*, 491; *glandulosa*, 456; *glutinosa*, 558, 576, 586, 589, 598; *grandiflora*, 461, 462; *grandiflora*, 511; *Greenel*, 517, 518; *Greenmanii*, 460, 462; *Hallii*, 229, 519, 520; *Havardii*, 474, 476; *Hendersonii*, 562; *hirsutula*, 569, 579, var. *brevisquama*, 572, f. *glabrata*, 573, f. *pedunculoides*, 574, f. *tomentulosa*, 574; *hirsutula* f. *cacumena*, 571, var. *calva*, 575, *hirsutula* f. *patens*, 570, var. *subintegra*, 229, 575; *hirsutula*, 538, 557, 560, 563, 572, 574, 580, 590; *Howellii*, 540, 549; *humilis*, 524, 525, f. *pubescens*, 527, f. *reflexa*, 526; *humilis*, 541, a, 541, β , 541; *incisa*, 599; *inornata*, 494, 495, var. *angusta*, 496; *integerrima*, 546; *integrifolia*, 540, 550, f. *dentata*, 551, var. *virgata*, 552, f. *villosa*, 553; *integrifolia*, 552, 557, 560, 561, 562, 563, var. *aestivalis*, 563, 564; *inuloides*, 453, 457, var. *glandulosa*, 456; *inuloides*, 460, 464, 467, 471, γ , 466, var. *microcephala*, 464, 466, 467; *laciniata*, 504, 505; *lanata*, 563; *lanceolata*, 513, 518, f. *latifolia*, 515; *lanceolata*, 511; *latifolia*, 227, 586; *littoralis*, 516; *macrophylla*, 561; *maritima*, 576, 579, f. *anomala*, 578; *microcephala*, 466, 468, var. *adenodonta*, 467, f. *angustior*, 469, var. *montana*, 470, var. *pusilla*, 467; *microcephala*, 506; *montana*, 587; *nana*, 523, 541, var. *altissima*, 544, f. *puberula*, 545, *nana* f. *Brownii*, 542, var. *integerrima*, 546, f. *longisquama*, 543, var. *Paysonorum*, 547, var. *turbinella*, 545; *nana*, 477, 485, 542, 544, 545, 552, var. *columbiana*, 555, var. *discoidea*, 555, 564, β *integrifolia*, 541; *Nelsonii*, 463, 465; *neomexicana*, 510; *nuda*, 480; *colepis* 518, 519; *oregana*, 543, 557, 559, 560, 561, 562, 563, 564, f. *Wilkesiana*, 557, subsp. *Wilkesiana*, 557, 563; *oxylepis*, 488, 495, f. *capitellata*, 490, var. *eligulata*, 490; *pacifica*, 585; *Palmeri*, 465, 471; *paludosa*, 529; *patens*, 570; *Paysonorum*, 547; *perennis*, 476, 485; *peruviana*, 587; *peruviana*, 587; *pinatifida*, 491; *platylepis*, 499; *procera*, 521, 523; *pubescens*, 454; *pulchella*, 598; *revoluta*, 495, 496; *Robinsonii*, 459, 457; *robusta*, 227, 582, 584, 587, var. *angustifolia*, 524, var. *Davyi*, 536, var. *latifolia*, 587, var. *maritima*, 571, 577, var. *patens*, 570, var. *platyphylla*, 227, 590, var. *rigida*, 532, 536; *rubricaulis*, 579, 580, var. *bracteosa*, 227, 584, var. *elata*, 227, 582, var. *latifolia*, 227, 586, f. *minor*, 589, f. *pubescens*, 589; *rubricaulis* var. *permixta*, 582, var. *platyphylla* 227, 589, f. *villosa*, 590, var. *robusta*, 227, 584; *rubricaulis*, 570, 572, 574, var. *interioris*, 538, var. *maritima*, 576; *scabra*, 509, var. *neomexicana*, 510; *serrulata*, 227, 482, 501, \times *perennis*, 485; *setulifera*, 506; *sibirica*, 599; *spatulata*, 454; *squarrosa*, 227, 477, f. *depressa*, 480, var. *nuda*, 480, f. *angustior*, 481, var. *serrulata*, 482; *squarrosa*, 474, 480,

482, 485, 489, 490, 496, 501, 533, 536, 541, var. *grandiflora*, 461, 474, 477, 480, 510, 511, 541, var. *hirtella*, 472, var. *nuda*, 491, var. *quasiperegrina*, 485; *stricta*, 556, 564, var. *aestuarina*, 560, f. *elongata*, 560, var. *Andersonii*, 559, var. *collina*, 564, var. *Hendersonii*, 562, var. *lanata*, 563, var. *macrophylla*, 561, var. *procumbens*, 559, f. *venulosa*, 558; *stylosa*, 599; *subalpina*, 499, 500, var. *erecta*, 501; *subalpina*, 498, 502; *subdecurrens*, 468, 472; *subincisa*, 503, 504; *sublanuginosa*, 458, 457; *tenella*, 464, 465; *texana*, 511, 512; *texana*, 498, 502; *venulosa*, 558; *villosa*, 550; *virgata*, 552
Growth: effect of iodine on, 371; of yellow pine, 251

H

Haemadictyon megalagrion, 623
Hamaria, 18
Hedysarum pabulare var. *rivulare*, 349
Herbarium studies, Field and, III, 343
Hesperaster, 112; *chrysanthus*, 171; *decapetalus*, 140; *densus*, 157; *laevicaulis*, 147; *multiflorus*, 155, 165; *nudus*, 162; *perennans*, 154; *pumilus*, 168; *Rusbyi*, 172; *speciosus*, 165; *strictus*, 143
Histoplasma capulatum, 348
Hollisteria lanata, 91
Hoorebekia, 436
Hymenangium, 625, 628, 629; *album*, 640; *Moselei*, 682
Hymenogaster and related genera, 625
Hymenogaster, 625, 628; *albellus*, 669, 706; *albidus*, 704; *albus*, 640, 706; *albus*, 664; *arenarius*, 674, 706; *arenarius* forma *austriacus*, 665; *argenteus*, 643; *aromaticus*, 680; *atratus*, 656, 706; *aureus*, 680; *australis*, 665; *Barnardi*, 673; *Boozeri*, 653, 706; *Bucholtzi*, 644; *Bulliardii*, 629, 638; *Bulliardii*, 704, 706; *caerulescens*, 652, 706; *caespitosus*, 652; *calosporus*, 662; *campester*, 664; *candidus*, 688; *caudatus*, 698; *cerebellum*, 631, 645, 706; *cereus*, 677; *cinereus*, 653; *citrinus*, 629, 646, 706, var. *pallens*, 648; *Citrus*, 647; *decorus*, 659, 662; *disciformis*, 658; *eurysporus*, 661; *flavidus*, 680; *foetidus*, 691; *fragilis*, 646, 706; *fulvus*, 682; *fusisporus*, 631, 673, 706; *Gardneri*, 649, 706; *gautierioides*, 697;

Gilkeyae, 649, 706; *gilvus*, 667; *globosus*, 690; *griseus*, 651, 706; *griseus*, 664; *Hessei*, 672, 706; *javanicus*, 670; *Klotzschii*, 640; *leptonisporus*, 683; *leptonisporus*, 684; *levisporus*, 678, 706; *lilacinus*, 643, 660, 706; *limosus*, 665; *luteus*, 677, 706, var. *subfuscus*, 678; *luteus*, 669; *lycoperdineus*, 639, 706; *Maideni*, 679; *McMurphyi*, 658, 708; *microsporus*, 682; *minusculus*, 659; *monticolus*, 700; *Moselei*, 682; *mucosus*, 703; *mutabilis*, 657, 706; *muticus*, 630, 650, 706; *niveus*, 654, 706; *occidentalis*, 668, 706; *olivaceus*, 632, 661, 706; *olivaceus* var. *modestus*, 661; *olivaceus* f. *montana*, 659; *pachydermis*, 637, 706; *pallidus*, 662, 702; *Parkii*, 674, 706; *pilosiusculus*, 651; *Pisomyces*, 647; *populetorum*, 667, 706; *pruinatus*, 648; *Pumilionum*, 682; *pusillus*, 675; *pyriformis*, 644, 706; *radiatus*, 688; *Rehsteineri*, 659; *Remyi*, 679, 706; *reniformis*, 668; *reticulatus*, 656, 706; *Rodwayi*, 702; *ruber*, 636, 706; *rufus*, 631, 681; *Setchellii*, 681; *spicetensis*, 655, 706; *sulcatus*, 671, 706; *Suzukianus*, 675; *tener*, 631, 642, 706; *tener* var. *arbuticola*, 665, var. *mutabilis*, 657; *Thwaitesii*, 669, 706; *tomentellus*, 673; *Trabuti*, 697, 700; *uliginosus*, 639; *utriculatus*, 690; *verrucosus*, 659, 706; *versicolor*, 636; *viscidus*, 642, 706; *vulgaris*, 664, 708; *vulgaris*, 672; *zeylanicus*, 631, 676, 708

Hymenogasteraceae, 625

Hysterangium atratum, 657; *australe*, 664; *fusisporum*, 673

Hysterangium Moselei, 682

I

International rules of nomenclature, Proposals for Amendment of Article 20 of the, 709

Inula glutinosa, 586; *serrata*, 454; *spatulata*, 454

Invertase activity, effect of iodine on, 404, 412

Iodine content: of the tomato plant, The effects of increasing, on respiration and enzymatic activity, 367; effect of, on acidity of plants, 375, on growth of plants, 371, on oxidizing enzymes, 387, on non-oxidizing enzymes, 404, on respiration, 375; toxicity of, to plants, 374

J

Jasonia laevigata, 598

L

Lastarriaca, 18; *chilensis*, 33, subsp. *californica*, 33

Laubertia, 614

Loasa ignea, 122

Loasa parviflora, 207

Lycoperdon microsporus, 682

M

Macropharynx, 614; *anomala*, 614; *spectabilis*, 615

Malaxis, 343; *montana*, 343; *Soulei*, 343

Mandevilla, 622

Marsdenia Calesiana, 611; *carnea*, 610, 611

Media, growth of *Geotrichum versiforme* on various, 354, 364

Melanogaster, 631; *Ferrarianus*, 647

Mentzelia, A monograph of the genus, 103

Mentzelia, 111; *acerosa*, 158; *acuminata*, 147; *adhaerens*, 129, 222; *affinis*, 193; *albescens*, 160; *albicaulis*, 182, var. *ctenophora*, 184, var. *gracilis*, 184; *albicaulis*, 135, var. *genuina*, 194, var. *gracilentia*, 185, var. *integrifolia*, 194, var. *Jonesii*, 198, var. *pectinata*, 187, var. *spectabilis*, 198, var. *Veatchiana*, 186; *andina*, 179; *arborescens*, 115, 222; *argillosa*, 153; *aspera*, 113, 134, 222; *aspera*, 118; *asperula*, 133, 222; *aurea*, 126, 164, 199; sect. *Bartonia*, 137; *Bartonia*, 199; *bartonioides*, 182; sect. *Bicuspidaria*, 200; *Brandegei*, 152; *chilensis*, 123, var. *atacamensis*, 124; *chilensis*, 122, 124; *chrysanthia*, 171; *citrina*, 180; *compacta*, 197; *congesta*, 188, var. *Davidsoniana*, 189; *Consatii*, 115; *cordata*, 207; *cordifolia*, 120; *cordobensis*, 122; *corumbaensis*, 207; *crocea*, 199; *ctenophora*, 184; *Davidsoniana*, 189; *decapetala*, 139; *densa*, 157; *Diehlit*, 126; *dispersa*, 194, var. *compacta*, 197, var. *latifolia*, 196; *dispersa* var. *obtusata*, 194, var. *pinetorum*, 194; sect. *Eumentzelia*, 114; *Fendleriana*, 117; *floridana*, 131; *fragilis*, 207; *Galeottii*, 118; *gracilentia*, 185, var.

pectinata, 187, var. *Veatchiana*, 186; *gracilis*, 118; *grandiflora*, 207; *Grisebachii*, 125; *gronoviaeifolia*, 207; *Haenkei*, 182; *hirsutissima*, 201, var. *neesiotes*, 202, var. *stenophylla*, 202; *hirta*, 208; *hispida*, 118; *humilis*, 155; *ignea*, 122; *imbricata*, 118; *incisa*, 118; *integra*, 174; *integrifolia*, 194; *involuerata*, 205, var. *megalantha*, 206; *Karwinskii*, 118; *lacinata*, 173; *laevicaulis*, 146, 222; *laevicaulis* var. *acuminata*, 146; *latifolia*, 196; *leucophylla*, 156; *Lindheimeri*, 128; *Lindleyi*, 199; *Lindleyi* var. *eremophila*, 198; *lobata*, 207; *longiloba*, 176, 224; *lutea*, 177; *micrantha*, 190; *micrantha* var. *stricta*, 190; *monosperma*, 126; *multicaulis*, 156; *multiflora*, 164; *multiflora* var. *densa*, 157, var. *humilis*, 155, var. *integra*, 174, var., 168; *Nelsonii*, 126; *ngaumderensis*, 207; *nitens*, 197, var. *eremophila*, 198, var. *Jonesii*, 198, var. *leptocaulis*, 199; *nuda*, 162; *nuda* var. *integrifolia*, 162, var. *subpinatifida*, 162; *oligosperma*, 125; *oreophila*, 175, 224; *Orisabae*, 118; *ornata*, 140, 146; *ovata*, 208; *Palmeriana*, 118; *parviflora*, 182; *parvifolia*, 124; *pectinata*, 187; *pedicellata*, 135; *perennis*, 154; *petiolata*, 126; *pinetorum*, 194; *pinnatifida*, 179, var. *uniseriata*, 180; *polita*, 153; *polyantha*, 119; *propinqua*, 208; *pterosperma*, 174; *puberula*, 177; *pumila*, 168, var. *procera*, 169; *pumila*, 156, 164, var. *densa*, 157, var. *genuina*, 168, var. *humilis*, 155, var. *multicaulis*, 156, var. *multiflora*, 164, var. *Reverchonii*, 162, var. *Rusbyi*, 171; *reflexa*, 159, 222; *rhombifolia*, 126; *Rusbyi*, 171; *scabra*, 116; *sessilifolia*, 124; *Solierii*, 181; *soratenensis*, 120; *speciosa*, 164; *stenophylla*, 262; *stipitata*, 118, 135; *stricta*, 143; *strictissima*, 163; *strigosa*, 121; *synandra*, 207; *tenerrima*, 182; *texana*, 133; *Torreyi*, 158, 222; sect. *Trachyphytum*, 178; *tricuspid*, 203, 224, var. *brevicornuta*, 204; *Tweedyi*, 182; *urens*, 207; *Veatchiana*, 186; *Wrightii*, 160, 168

Mentzelia, 112

Microsperma, 112

Microstylis montana, 343

Monilia, 349, 358, 360

- Moore, Morris. A new *Geotrichum* from a bronchial and pulmonary infection, *Geotrichum versiforme* Moore, n. sp., 349; *Posadasia pyriformis* and *P. capsulata*, two causative organisms of Darling's histoplasmosis in the United States, 347
 Moisture content of yellow pine wood, 245
Mucronea californica, 91, var. *Sukdornii*, 91; *perfoliata*, 91
Mycoderma, 349, 358, 360
Mycotorula, 360
Myriophyllum Wrightii, 160

N

- Nigropogon*, 683; *asterosporus*, 683
 Nomenclature, International rules of, Proposals for Amendment of Article 20 of the, 709
Nuttallia, 112; *acuminata*, 147; *albescens*, 160; *Brandegei*, 152; *chrysantha*, 171; *decapetala*, 140; *densa*, 157; *gypsea*, 155; *hastata*, 172; *humilis*, 155; *integra*, 175; *laciniata*, 173; *laevicaulis*, 147; *lobata*, 175; *lutea*, 177; *marginata*, 165; *multicaulis*, 157; *multiflora*, 165; *nuda*, 162; *parviflora*, 147; *procera*, 169; *pterosperma*, 174; *pumila*, 168; *Rusbyi*, 172; *sinuata*, 165; *speciosa*, 165; *Springert*, 165; *stricta*, 143; *strictissima*, 164; *Wrightii*, 160

O

- Oidium*, 349, 358, 360; *asteroides*, 359; *lactis*, 359; *matalensis*, 359; *rotundatum*, 359
Oospora, 349, 358, 360
 Oxygenase activity, effect of iodine on, 398, 412
Oxythea insignis, 91

P

- Penstemon acaulis*, 345
 Peptase activity, effect of iodine on, 410
 Peroxidase activity, effect of iodine on, 393, 412
 Pigments, respiratory, 412
 Pine, southern yellow, Certain physical and structural properties of three species of, correlated with the compres-

- sion strength of their wood, 241, 332, 334, 336, 338
Pinus echinata, 243, 251, 330; *palustris*, 251, 330; *Taeda*, 251, 330
Polygonum minutissimum, 343
Poria Cocos (Schw.) Wolf, found on a railroad tie in service, 339, 342
Posadasia capsulata, 348; *pyriformis*, 347
Posadasia pyriformis and *P. capsulata*, two causative organisms of Darling's histoplasmosis in the United States, 347
 Potassium iodide, effect of, on growth of plants, 367
Prestonia, 623; *Mag'agros*, 623; *meg-alagrion*, 623
Protogaster, 236; *radicicolus*, 235; *rhizophilus*, 236, 238, 240; *Violae*, 235
Protogaster, representing a new order of the *Gasteromycetes*, 231
Protogastraceae, 235
Protogastrales, 235
 Pulmonary and bronchial infection, A new *Geotrichum* from a, 349
Pyrisperma, 628
Pyrispora, 628

R

- Resin, percentage of, in yellow pine, 249; size and distribution of ducts, 255
 Respiration and enzymatic activity, The effects of increasing the iodine content of the tomato plant on, 367, 375
Rhizopogon, 237; *albus*, 640, 664; *Pumilionum*, 682; *rubescens*, 682
Richoniella, 625, 683; *asterospora*, 683, 708; *leptonispora*, 684, 708
 Rocky Mountain plants, 343

S

- Specific gravity in yellow pine wood, 250
Splanchnomyces, 629; *albus*, 640; *Berk-eleyanus*, 677; *Broomeanus*, 661; *citrinus*, 647; *Citrus*, 647; *Cordaeonius*, 661; *luteus*, 677; *lycoperdineus*, 639; *olivaceus*, 661; *populetorum*, 667; *tener*, 643; *Tulameanus*, 664
 Steyermark, Julian A. Studies in *Grindelia*, I, 227; II, 433
 Structural properties of yellow pine, 251

Studies in *Grindelia*. I. New species, varieties, and combinations of *Grindelia*, 227; II. A monograph of the North American species of the genus *Grindelia*, 433

Sugar, fermentation of, in cultures of *Geotrichum*, 358

T

Taxodium, 339

Ternadenia stenantha, 613

Thuraria, 436

Thysananthus bracteatus, 622

Tomato plant, The effects of increasing the iodine content of the, on respiration and enzymatic activity, 367

Torreya, 112; *nuda*, 162; *ornata*, 140

Torula, 360

Touterea, 112; *Brandegei*, 152; *chrysantha*, 171; *decapetala*, 140; *densa*, 157; *humilis*, 155; *integra*, 175; *laciniata*, 173; *laevicaulis*, 147; *lutea*, 177; *multicaulis*, 156; *multiflora*, 165; *nuda*, 162; *ornata*, 140; *parviflora*, 147; *perennis*, 154; *pterosperma*, 174; *pumila*, 168; *Rusbyi*, 172; *sinuata*, 165; *speciosa*, 165; *stricta*, 143; *Wrightii*, 160

Tracheid dimensions in yellow pine, 270

Trachyphytum, 112; *congestum*, 188; *gracile*, 185

Trigonocarpus, 17

Tropical America, New or otherwise noteworthy Apocynaceae of, IV, 613

Tuber *Borchii*, 640; *moschatus*, 638

Tuckahoe, 339

Tylophora fasciculata, 610; *minutiflora*, 609, 610; *pseudotenerrima*, 610

V

Vanceleva stylosa, 599

W

Williams, Louis. Field and herbarium studies, III, 343

Wood, yellow pine; density of, 248; rate of growth, 251; percentage of summer wood in, 254; resin in, 249; size and distribution of rays of, 260, of resin ducts, 255; specific gravity of, 250; structure of cell wall, 274; tracheid dimensions of, 270

Woodson, Robert E., Jr. New or noteworthy Apocynaceae of tropical America. IV, 613; Two new Asclepiads from Szechuan, China, 609

Wynd, F. Lyle. The effects of increasing the iodine content of the tomato plant on respiration and enzymatic activity, 367

X

Xanthocephalum centauroides, 599

Z

Zeller, S. M. Protogaster, representing a new order of the Gasteromycetes, 231; C. W. Dodge and. Hymenogaster and related genera, 625